


## Maps of Zika in the United States

## Zika Cases Reported in the United States

Laboratory-confirmed Zika virus disease cases reported to ArboNET by state or territory (as of September 21, 2016)



<sup>\*</sup>See detailed map of the areas with active Zika virus transmission below.

Laboratory-confirmed Zika virus disease cases reported to ArboNET by state or territory — United States, 2015–2016 (as of September 21, 2016)§

States	Travel-associated cases* No. (% of cases in states) (N=3,315)	Locally acquired cases† No. (% of cases in states) (N=43)
Alabama	27 (1)	o (o)
Arizona	29 (1)	o (o)

Arkansas	10 (<1)	0 (0)
California	243 (7)	o (o)
Colorado	35 (1)	o (o)
Connecticut	58 (2)	o (o)
Delaware	13 (<1)	o (o)
District of Columbia	23 (1)	o (o)
Florida	652 (20)	43 (100)
Georgia	79 (2)	o (o)
Hawaii	12 (<1)	o (o)
Idaho	3 (<1)	o (o)
Illinois	67 (2)	o (o)
Indiana	33 (1)	o (o)
Iowa	16 (<1)	o (o)
Kansas	14 (<1)	o (o)
Kentucky	24 (1)	o (o)
Louisiana	29 (1)	o (o)
Maine	11 (<1)	o (o)
Maryland	99 (3)	o (o)
Massachusetts	67 (2)	o (o)
Michigan	56 (2)	o (o)
Minnesota	47 (1)	o (o)
Mississippi	21 (1)	o (o)
Missouri	27 (1)	o (o)
Montana	7 (<1)	o (o)
Nebraska	8 (<1)	o (o)


Nevada	14 (<1)	0 (0)
New Hampshire	8 (<1)	o (o)
New Jersey	117 (4)	o (o)
New Mexico	6 (<1)	o (o)
New York	715 (22)	o (o)
North Carolina	61 (2)	o (o)
North Dakota	1 (<1)	o (o)
Ohio	41 (1)	o (o)
Oklahoma	26 (1)	o (o)
Oregon	27 (1)	o (o)
Pennsylvania††	106 (3)	o (o)
Rhode Island	29 (1)	o (o)
South Carolina	31 (1)	o (o)
South Dakota	1 (<1)	o (o)
Tennessee	49 (1)	o (o)
Texas	195 (6)	o (o)
Utah	12** (<1)	o (o)
Vermont	7 (<1)	o (o)
Virginia	81 (2)	o (o)
Washington	34 (1)	o (o)
West Virginia	11 (<1)	o (o)
Wisconsin	31 (1)	o (o)
Wyoming	2 (<1)	o (o)
Territories	Travel-associated cases* No. (% of cases in territories)	Locally acquired cases† No. (% of cases in territories)

	(N=71)	(N=19,706)
American Samoa	o (o)	46 (<1)
Puerto Rico	70 (99)	19,395*** (98)
US Virgin Islands	1 (1)	265 (1)

§Only includes cases meeting the probable or confirmed CSTE case definition and does not include asymptomatic infections unless the case is a pregnant woman with a complication of pregnancy \*Travelers returning from affected areas, their sexual contacts, or infants infected in utero

- †Presumed local mosquito-borne transmission
- ††One additional case acquired through laboratory transmission
- \*\*Includes one case with unknown route of person-to-person transmission.
- \*\*\*The Puerto Rico Department of Health is retroactively reporting cases, resulting in larger than normal increases in cases in recent weeks.

## Active Zika Virus Transmission in Florida



Miami-Dade County, FL. Red shows areas of active transmission where CDC recommends adherence to travel and testing guidance for pregnant women, women of reproductive age, and their partners. Yellow shows areas where CDC recommends cautionary travel recommendations and strict adherence to precautions to prevent mosquito bites.

Page last updated: September 22, 2016

Page last reviewed: September 19, 2016

rage last apaated. September 22, 2010

Content source: Centers for Disease Control and Prevention (http://www.cdc.gov/)

National Center for Emerging and Zoonotic Infectious Diseases (NCEZID) (http://www.cdc.gov/ncezid)

Division of Vector-Borne Diseases (DVBD) (http://www.cdc.gov/ncezid/dvbd/index.html)